1	THAT WHICH IS CLAIMED:
2	1. A method of selectively providing user access to a network
3	application, comprising the steps of:
4	issuing a first key to a user, wherein said first key gives said user access
5	to an input record format associated with said network application, wherein
6	further said input record format includes a first key field and a second key
7	field;
8	issuing a second key to said user;
9	receiving an input from said user, said input associated with said
10	network application and formatted according to said input record format; and
11	allowing said network application to process said input if said first key
12	field of said input contains said first key and said second key field of said
13	input contains said second key.
14	
15	2. The method of Claim 1, wherein said first key is a developer key
16	and said second key is an access key.
17	
18	3. The method of Claim 1, further comprising the step of entering
19	into a license agreement before issuing said first key to said user.
20	
21	4. The method of Claim 1, further comprising the step of entering
22	into a license agreement before issuing said second key to said user.
23	

1	5.	The method of Claim 1, further comprising the steps of entering
2	into a first li	cense agreement before issuing said first key to said user, and
3	entering into	a second license agreement before issuing said second key to
4	said user.	
5		
6	6.	The method of Claim 1, wherein said user is an end-user.
7	*	
8	7.	The method of Claim 1, wherein said user is a user of third-party
9	developer so	ftware.
10		
11	8.	The method of Claim 1, wherein said first and second keys
12	issued to said	l user are unique to said user.
13		
14	9.	The method of Claim 1, wherein said first key is common to
15	other users as	nd said second key is unique to said user.

1	10. A method to allow an application provider to track access to
2	network applications by users of third-party software, said method comprising
3	the steps of:
4	issuing a first key to a developer of said third-party software, wherein
5	said first key is common to a plurality of users of said third-party software;
6	issuing a second key to a user, wherein said user is one of said plurality
7	of users of said third-party software;
8	requiring that said first and second keys be provided to access said
9	network application; and
10	tracking said access to said network application by said first and second
11	keys.
12	
13	11. The method of Claim 10, wherein said second key is unique to
14	said user.
15	
16	12. The method of Claim 10 further comprising the step of entering
17	into a license agreement with said developer prior to issuing said first key.
18	
19	13. The method of Claim 10 further comprising the step of entering
20	into a license agreement with said user prior to issuing said second key.

1	14. The method of Claim 10, wherein requiring that said first and
2	second keys be provided to access said network application, comprises the
3	steps of:
4	providing said developer with a data format for an input file associated
5	with said network application, wherein said record layout includes a first key
6	field and a second key field; and
7	confirming that said input file to said network application contains said
8	first key in said first key field and said second key in said second key field.
9	
10	15. The method of Claim 10, wherein tracking said access to said
11	network application by said first and second keys comprises the step of
12	updating a tracking file to indicate that said network application was accessed
13	using said first and second keys.

1	16. A system for selectively providing a user with access to an
2	application over a network, the system comprising:
3	a customer computer;
4	an access application in electronic communication with said customer
5	computer via a network; and
6	a network application in electronic communication with said access
7	application and said customer computer;
8	wherein said access application is configured to issue a developer key
9	and access key to said customer computer, and allow access to said network
10	application upon receipt from said customer computer of input that includes
11	said developer and access keys.
12	
13	17. The system of Claim 16, wherein said access application is
14	further configured to keep a record of said customer computer access to said
15	network application.
16	
17	18. The system of Claim 16, wherein said access application is
18	additionally configured to send a license agreement to said customer
19	computer.
20	
21	19. The system of Claim 16, wherein said access application is
22	additionally configured to send a first license agreement to said customer
23	computer prior to issuing said developer key, and is further configured to send
24	a second license agreement to said customer computer prior to issuing said
25	access key

I	
2	20. A system for selectively providing a user with access to an
3	online tool over a network, the system comprising:
4	a customer computer;
5	an access control application in electronic communication with said
6	customer computer via said network, said access control application
7	configured to authorize said user to access said online tool, and said access
8	control application further configured to issue a developer key and access key
9	to said authorized user; and
10	an access tracking application in electronic communication with said
11	access control application, said access tracking application configured track
12	said authorized user access to said online tool.

1	21. A method for selectively providing access to software over a
2	network, comprising the steps of:
3	issuing a first developer key to a first third-party developer and a
4	second developer key to a second third-party developer, wherein said first
5	third-party developer is associated with a first client application and said
6	second third-party developer is associated with a second client application;
7	issuing a first access key to a first user, wherein said first user is one of
8	a first plurality of users that access said software via said first client
9	application;
10	issuing a second access key to a second user, wherein said second user
11	is one of a second plurality of users that access said software via said second
12	client application; and
13	providing access to said software to said first and second users.
14 15	22. The method of Claim 21, further comprising the steps of:
16	tracking access to said software by said first and second users;
17	retaining tracking data associated with said first and second users; and
18	comparing said tracking data associated with said first user with said
19	tracking data associated with said second user.

1	23. The method of Claim 21, further comprising the steps of:
2	tracking access to said software by said first and second plurality of
3	users;
4	retaining tracking data associated with said first and second plurality of
5	users;
6	associating said tracking data associated with said first plurality of
7	users to said first third-party developer, and associating said tracking data
8	associated with said second plurality of users with said second third-party
9	developer;
10	comparing said tracking data associated with said first third-party
11	developer with said tracking data associated with said second third-party
12	developer.
13	
14	24. The method of Claim 21, further comprising the step of
15	disabling access to said software by said first user without affecting access to
16	said software by said second user.
17	
18	25. The method of Claim 21, further comprising the step of
19	disabling access to said software by said first user without affecting access to
20	said software by other users in said first plurality of users that are accessing
21	said software via said first client application.
22	
23	26. The method of Claim 21, further comprising the step of
24	disabling access to said software by said first plurality of users without
25	affecting access to said software by said second plurality of users.
26	

1	
2	27. A system for selectively enabling and disabling access to a
3	software application, the system comprising:
4	a first client application residing on a first and second computer system;
5	a second client application residing on a third computer system;
6	an access application residing on a software provider system;
7	wherein said access application is configured to associate a first
8	developer key with said first client application, and to associate a second
9	developer key with said second client application;
10	wherein said access application is configured to associate a first access
11	with said first computer system, associate a second access key with said
12	second computer system, and associate a third access key with said third
13	computer system; and
14	wherein further said access application is configured to enable access to
15	said software application by said first computer system upon receipt of an
16	input containing at least one of said first developer key and said first access
17	key; and is configured to enable access to said software application by said
18	second computer system upon receipt of an input containing at least one or
19	said first developer key and said second access key; and is configured to
20	enable access to said software application by said third computer system upor
21	receipt of an input containing at least one of said second developer key and
22	said third access key.

1	28. The system of Claim 27, wherein said access application is
2	configured to disable access to said first computer system without affecting
3	access to said software application by said second and third computer systems.
4	
5	29. The system of Claim 27, wherein said access application is
6	configured to disable access to said first and second computer systems without
7	affecting access to said software application by said third computer system.
8	
9	30. The system of Claim 27, wherein said access application is
10	configured to disable access to said third computer system without affecting
11	access to said software application by said first and second computer systems.
12	
13	31. The system of Claim 27, wherein said access application is
14	configured to track access to said software application by said first, second
15	and third computer systems.
16	
17	32. The system of Claim 31, wherein said access application is
18	configured to collect and compare tracking data associated with said first,
19	second and third computer systems.